



PERRY JOHNSON REGISTRARS, INC.

Certificate of Registration

*Perry Johnson Registrars, Inc., has audited
the Quality Management System for Medical Devices:*

Tekni-Plex Flexibles, LLC
6161 North 64th Street, Milwaukee, WI 53218 United States

(This is a multisite scheme. See Appendix for site specific details.)

*(Hereinafter called the Organization) and hereby declares that
Organization is in conformance with:*

ISO/IEC 13485:2016

This Registration is in respect to the following scope:

Manufacture of Laminated Film and Medical Device Sterility Assurance Packaging

Components

This Registration is granted subject to the system rules governing the Registration referred to above, and the Organization hereby covenants with the Assessment body duty to observe and comply with the said rules.



Terry Boboige

Terry Boboige, President

Perry Johnson Registrars, Inc. (PJR)
755 West Big Beaver Road, Suite 1340
Troy, Michigan 48084
(248) 358-3388

The validity of this certificate is dependent upon ongoing surveillance and fulfillment of required sampling of sites.

*Effective Date: March 15, 2021
Expiration Date: March 14, 2024*

*Certificate No.: C2021-01041
Page 1 of 1*



PERRY JOHNSON REGISTRARS, INC.

Appendix

*6161 North 64th Street,
Milwaukee, WI 53218 United States*

*Purchasing, manufacturing, Quality, Design, Development
and Associated Elements*

*150 Homer Avenue,
Ashland, MA 01721 United States*

Purchasing, Manufacturing, Quality, Associated Elements

*4101 Lien Road,
Madison, WI 53704 United States*

Purchasing, Manufacturing, Quality, Associated Elements

*175 E Hawthorn Parkway,
Vernon Hills, IL 60061 United States*

*Contract and Order Management, Customer
Communication, Sample Management, Sales, Associated
Elements*

Manufacture of Laminated Film and Medical Device Sterility Assurance Packaging

Terry Boboige

Terry Boboige, President

Perry Johnson Registrars, Inc. (PJR)
755 West Big Beaver Road, Suite 1340
Troy, Michigan 48084
(248) 358-3388

Certificate No.: C2021-01041
Page 2 of 2

The validity of this certificate is dependent upon ongoing surveillance and fulfillment of required sampling of sites.